

FORVALTNING, DRIFT OG VEDLIKEHOLD

PROSJEKT:.....

Entreprise:	Entreprenør/leverandør navn, adresse, tlf, e-post, kontaktperson)
.....	
.....	
Underleverandør:	
Leveranse:	Underleverandør (navn, adresse, tlf, e-post, kontaktperson)
Leverandør: Synshjelpemidler AS	Sporveisgata 10 0352 Oslo, bc@synshjelpemidler.no , 23215555
Garanti/reklamasjon:	Synshjelpemidler bestillings nr./lev dato:..... (for gyldig garanti/reklamasjon på produkt)
Installatør:	

Beskrivelse av leveranse sted adresse ol:

Prosjekt:

Beskrivelse av installasjon:

Produkt levert:

Type nr.:

Dimensjoner (l x b x d/t):

Produkt overflate type og eventuell behandling:

Krav etter TEK 17/NS referert til i FDV er fulgt:

Eventuelle avvik: (begrunn/dokumenter tiltak):

.....

.....

Installasjons metode:

.....

Annen relevant informasjon:

.....

FORVALTNING, DRIFT OG VEDLIKEHOLD

Materialspesifikasjon:

- **BP10860 Microprismatisk refleks tape**
- **BP10861 refleks tape**

Den mikroprismatiske varianten samler lyset slik at opptil 80% av lyset reflekteres tilbake til kilden. Samtidig gir den mindre forstyrrende gjenskinn. Gir ekstremt høy synlighet alltid. Std bredde levert i Norge er mellom 19 – 1210 mm bredde og opp til 45 meters lengde. Kan brukes på statiske og bevegelige mål. Den mikroprismatiske refleksstapen har en 3 punkts pekende prisme som dekker hele overflaten.

De leveres i flere farger:

- Blå
- Grønn
- Orange
- Rød
- Gul
- Hvit
- Fluoriserende

Montering: Vurder overflaten BP10860 og BP10861 skal monteres på. Det kan monteres på sugende og jevne overflater. Rengjør overflate nøyte gjerne med UU19160 (TEC7 cleaner) eller lignende. I noen tilfeller anbefaler vi å prime overflaten først. Vi anbefaler primer BP1417311 for økt heft mot underlaget. Anbefaler montering i mer enn + 5 grader Celsius.

Driftsinstruks:

Rengjøring regelmessig. (Se rengjøring under.)

Der en eventuell skade skyldes slitasje eller vandalisme anbefaler vi å bytte hele merkingen.

Elementene bør ha en levetid på minst 5 år. Plassering innendørs og utendørs. Bør kontrolleres minst en gang pr år. Under åpen himmel der regn, snø og is har tilgang vil levetiden være noe begrenset. I slike installasjoner anbefales en høyere kontroll frekvens f.eks. 2-3 ganger pr år.

Rengjøring:

For at ikke produktet skal ta skade anbefaler vi følgende:

Bruk myk klut, et mildt såpemiddel som samtidig er PH nøytralt. Tørk av etterpå med en lett fuktig klut og rent vann så du ikke får skjolder.

Miljø: Inneholder PVC. Akrylbasert lim. Holder seg innenfor krav satt av EU til farlige stoffer. Se dokument erklæring.

FORVALTNING, DRIFT OG VEDLIKEHOLD

Tekniske vedlegg fra leverandør:



FORVALTNING, DRIFT OG VEDLIKEHOLD

Vedlegg:

Safety Data Sheet

EU Directive 91-155 of 5/3/1991
Creation date 14/9/2013

Page 1 of 4

1. Identification of the product and the company

Product name	H6601 Reflective Tape
Supplier	Heskins Ltd Churchill Road Industrial Estate Brinscall Chorley, PR6 8RQ UK
Telephone	+44-(0)1254-832266
Fax	+44-(0)1254-832476
Email:	mail@heskins.com

2. Composition/information on ingredients

Hazardous substances None

The product consists of a silconised release paper lining a reflective surface.

3. Hazard information

This product does not present any particular hazard provided it is handled in accordance with good industrial hygiene and safety practise and under normal conditions of use. Following our present state of knowledge this product is not classified as a hazardous substance.

4. First aid measures

Inhalation	Not applicable under normal conditions of use
Skin contact	Not specifically applicable. Product will adhere temporarily to skin and may cause reddening on removal as per a self-adhesive plaster. Discontinue use if an allergic reaction occurs.
Eye content	Not specifically applicable
Ingestion	Not specifically applicable

5. Fire fighting measures

Suitable extinguishing media	Every media is appropriate
Unsuitable extinguishing media	Not known
Special exposure hazards	Combustible material, which may melt on heating. Harmful/toxic vapours such as carbon monoxide may be evolved.



FORVALTNING, DRIFT OG VEDLIKEHOLD

Safety Data Sheet

EU Directive 91-155 of 5/3/1991

Creation date 14/9/2013

Page 2 of 4

Protection of fire fighters

Self contained breathing apparatus

6. Accidental release materials

Personal protection Not applicable under normal conditions of use

Environmental protection This product does not present any particular risk to the environment

Methods of cleaning up Not applicable under normal conditions of use

7. Handling and storage

Handling Does not require any specific handling procedure

Storage Does not require any specific technical measures. For longevity of product it is recommended that it is stored in closed cartons away from direct sources of heat and light.

8. Exposure control/personal protection

Technical measures Does not require any particular measures provided it is in accordance with good hygiene and safety practise.

Personal protection Not specifically applicable

9. Physical and chemical properties

Appearance	
- Physical state	Solid
- Form	Solid coloured film
- Colour	Release liner is white, upper surface is a wide variety of colours.
Odour	Faint
PH	Not Applicable
Boiling point	Not Applicable
Flash point	Not Applicable
Flammability	Not Applicable
Explosive properties	Not Applicable
Oxidising properties	Not Applicable
Vapour pressure	Not Applicable
Relative density	1.0
Solubility	
- Water	Not soluble
- Organic solvent	Adhesive is partially soluble in common solvent

10. Stability and reactivity

Conditions to avoid This product is stable at room temperature and in normal handling conditions



FORVALTNING, DRIFT OG VEDLIKEHOLD

Safety Data Sheet

EU Directive 91-155 of 5/3/1991

Creation date 14/9/2013

Page 3 of 4

Hazardous decomposition
Products

On combustion of thermal decomposition toxic gases may be released
as oxides of carbon (CO & CO²)

11. Toxicological Information

Local effects Not applicable given the products physical state

Information general Based on our experience and according to our knowledge of this product does not have any toxic effect under normal handling procedures.

12. Ecological information

Persistence/Degradability This product persists in the soil

Destination of the product As a very small percentage of a finished product this cannot be determined. Unused product is typically land filled/incinerated where appropriate.

Possible impact/effect Not dispersible. This product should not pose any specific problem to the environment

13. Disposal considerations

Waste from residues Recycle the product wherever possible. For non-recycled product dispose of in accordance with local regulations. It can be disposed of as a non hazardous industrial waste, or, incinerated at a licensed site

Waste from packaging Under normal usage/storage conditions contamination of packaging is not applicable. Depending on local possibilities either recycle, reuse or incinerate the cardboard and plastic packaging

NOTE: The user's attention is drawn to the possible existence of local regulations concerning disposal

14. Transport information

To the best of our knowledge at the time of creation of this document the product is not subject to any national/international regulations for transport by rail/sea/air.

15. Regulation information

Labelling No mandatory labelling is required. Product is not classified as dangerous/hazardous. It is recommended that the customer refer to all applicable and relevant local/international regulations, provisions and legislation.

16. Other information



FORVALTNING, DRIFT OG VEDLIKEHOLD

Safety Data Sheet

EU Directive 91-155 of 5/3/1991

Creation date 14/9/2013

Page 4 of 4

For specific application such as medicine, surgery and the food industry, the manufacturer (Heskins Ltd) should be contacted for further information.

The information given in this safety data sheet is based on our knowledge of the product at the time of publication and is given in good faith. The attention is drawn to the possible risks incurred by using the product for any other purpose than that for which it was intended. It is the sole responsibility of the user to take all the precautions in handling this product. We cannot guarantee that the risks referred to above are the only risks present. The final choice of application is thus the sole responsibility of the user.

